

Axis Communications

Bizgram Asia Pte Ltd
 #05-50 Sim Lim Square
 1 Rochor Canal Road
 Singapore 188504
 Open Daily 10am to 8pm
 No Lunch Break – 7 Days a week
 Open on Public Holidays
 ROC : 200903547Z
 GST : 200903547Z
 UEN : 200903547Z
 Gebiz : 200903547Z

Whatsapp : +65-87776955
 SMS : +65-87776955
 Tel : +65-63346455
 Fax : +65-63341615
 Email : sales @ bizgram.com

Product Name	Minimum order quantity	High volume order	Status	Product Number UK	Product Number AUS	Product Number US	Product Number EUR	Product Description	Price
Decoder									
AXIS P7701	1	15		0319-002	0319-006	0319-004	0319-002	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	514
AXIS P7701 VIDEO DEC BB BULK 20PCS	1	1		0319-051	0319-051	0319-051	0319-051	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	10,279
AXIS P7701 VIDEO DECODER BARE BONE	1	1		0319-041	0319-041	0319-041	0319-041	Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	514
AXIS T8705 VIDEO DECODER	1	1		01186-001	01186-001	01186-004	01186-001	Network Video Decoder for easy display of video from IP cameras on big screens. With the 1080p HDMI output, Ethernet input and compact size, it is very easy to setup and use. It can display the video both as sequence or multimode and with the integrated VAPIX support, it automatically finds Axis cameras on the network for plug-and-play configuration.	308
Encoder									
AXIS M7011 Video Encoder	1	125		0764-001	0764-001	0764-001	0764-001	Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS. AVHS and ACAP support. No midspan included.	205
AXIS M7016 VIDEO ENCODER	1	80		0541-003	0541-006	0541-004	0541-002	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	1,029
AXIS M7104 VIDEO ENCODER	1	200		01679-001	01679-001	01679-001	01679-001	Four channel video encoder supporting PAL/NTSC cameras. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Frame rate 25/30 fps in all resolutions. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Serial port for RS422/485 communication. Power over Ethernet or 12-20V DC input. MicroSD/MicroSDHC memory card slot for optional local video storage.	308
AXIS P7224 Video Encoder Blade	1	200		0418-001	0418-001	0418-001	0418-001	AXIS P7224: Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	411
AXIS P7216 VIDEO ENCODER	1	30		0542-003	0542-006	0542-004	0542-002	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	1,338
AXIS P7224 VID ENC BLADE BULK 10PCS	1	1		0418-021	0418-021	0418-021	0418-021	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	3,985

AXIS P7304 VIDEO ENCODER	1	80		01680-001	01680-001	01680-001	01680-001	Four channel video encoder supporting PAL/NTSC and HD analog cameras. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Frame rate 25/30 fps in all resolutions up to 1080p. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm and audio detection. I/O for alarm/event handling, serial port for RS422/485 communication. Power over Ethernet or 12-20V DC input. MicroSD/MicroSDHC memory card slot for optional local video storage. Two-way audio with analog or digital microphones.	411
AXIS Q7401 VIDEO ENCODER	1	1	Discontinued - contact Order dept for availability	0288-002	0288-006	0288-004	0288-002	1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply.	411
AXIS Q7401 VIDEO ENCODER BARE BONE	1	1	Discontinued - contact Order dept for availability	0288-041	0288-041	0288-041	0288-041	Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. No power supply.	411
AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	1	100	Discontinued - contact Order dept for availability	0288-051	0288-051	0288-051	0288-051	AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power supplies.	8,219
AXIS Q7401 VIDEO ENCODER BULK 10PCS	1	1	Discontinued - contact Order dept for availability	0288-021	0288-021	0288-021	0288-021	AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs	4,110
AXIS Q7411 VIDEO ENCODER	1	20		0518-002	0518-006	0518-004	0518-002	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VDC and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	411
AXIS Q7411 VIDEO ENCODER BULK 10PCS	1	1		0518-021	0518-021	0518-021	0518-021	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	3,985
AXIS Q7414 VIDEO ENCODER BLADE	1	5		0354-001	0354-001	0354-001	0354-001	Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	1,029
AXIS Q7414 VIDEO ENCODER BULK 10PCS	1	1		0354-021	0354-021	0354-021	0354-021	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	9,776
AXIS Q7424-R MKII VIDEO ENCODER	1	70		0742-001	0742-001	0742-001	0742-001	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps.	926
AXIS Q7424-R MKII VID ENC BULK 10P	1	1		0742-021	0742-021	0742-021	0742-021	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps. 10 PCS.	8,797
AXIS Q7436 VIDEO ENCODER BLADE	1	30		0584-001	0584-001	0584-001	0584-001	6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron). Compatible with the following video encoder chassis: AXIS Q7920, AXIS Q7900 and AXIS 291 1U	1,235
AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS	1	3		0584-021	0584-021	0584-021	0584-021	AXIS Q7436 in 10-pack. Cannot be sold separately as single packs.	11,741
AXIS Q7436/Q7920 KIT	1	1		0656-003	0656-006	0656-004	0656-002	14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis. Country specific power cable.	19,157

Rack

AXIS 291 1U VIDEO SERV RACK	1	20		0267-003	0267-006	0267-004	0267-002	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	411
AXIS 291 1U VIDEO SERVER RACK < CH >	1	1					0267-010	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. Swiss power cable.	411
AXIS 291 1U VIDEO SERVER RACK < GENERIC >	1	4		0267-001	0267-001	0267-001	0267-001	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	411
AXIS Q7920 VIDEO ENCODER CHASSIS	1	1		0575-003	0575-006	0575-004	0575-002	5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	2,677