



[Bizgram Asia Pte Ltd](#)

[Retail Wholesale Factory Outlet Address :](#)

[#05-50 Sim Lim Square](#)
[1 Rochor Canal Road](#)
[Singapore 188504](#)

[Tel : +65-63346455 / 63341373](#)

[Fax : +65-63341615](#)











[SMS / Whatsapp : +65 – 8889 0955 / 8777 6955](#)





[Please send whatsapp to check stocks and timing, and any other details before visiting the store. As stocks situation might vary and price is for reference only and might change anytime due to any situation.](#)

MM#	Model No	Product Image	Descriptions	Warranty
4207025	DCS-F1611	 1MP	1 MP HD IR Fixed Dome Analog Camera (Lens: 3.6mm, HD 720p, IR 20m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
4207028	DCS-F1711	 1MP	1 MP HD IR Outdoor Fixed Bullet Analog Camera (Outdoor IP66, Lens: 3.6mm, HD 720p, IR 30m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
4207026	DCS-F1612	 2MP	2 MP Full HD IR Fixed Dome Analog Camera (Lens: 3.6mm, Full HD 1080p, IR 20m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
4207029	DCS-F1712	 2MP	2 MP Full HD IR Outdoor Fixed Bullet Analog Camera (Outdoor IP66, Lens: 3.6mm, Full HD 1080p, IR 30m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
4207027	DCS-F1622	 2MP VARIFOCAL	2 MP Full HD IR Varifocal Outdoor Dome Analog Camera (Outdoor IP66, Lens: 2.8 - 12mm, Full HD 1080p, IR 35m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
4207030	DCS-F1722	 2MP VARIFOCAL	2 MP Full HD IR Varifocal Outdoor Bullet Analog Camera (Outdoor IP66, Lens: 2.8 - 12mm, Full HD 1080p, IR 35m, WDR, OSD, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power)	2 Years
	DCS-F1625	 5MP	5 MP Full HD IR Dome Analog Camera (Outdoor IP66, Fixed Lens: 3.6mm, Full HD 1080p, IR 35m, dWDR, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power) (Aluminium Alloy)	2 Years
	DCS-F1725	 5MP	5 MP Full HD IR Fixed Bullet Analog Camera (Outdoor IP66, Fixed Lens: 3.6mm, Full HD 1080p, IR 35m, dWDR, Video Transmission: 75-5ohm 300m, Support AHD/TVI/CVI/CVBS Output, 12V DC Power) (Aluminium Alloy)	2 Years
NETWORK CAMERA WITH H.265				
4207031	DCS-F4612	 2MP	2 MP Full HD IR Outdoor Fixed Dome IP Camera (Outdoor IP66, 3.6mm, Full HD 1080p, IR 15m, WDR, Corridor Mode for Narrow Passages, Smart defog, PoE)	2 Years

4207034	DCS-F4712	 2MP	2MP Full HD IR Outdoor Fixed Bullet IP Camera (Outdoor IP66, 3.6mm, Full HD 1080p, IR 15m, WDR, Corridor Mode for Narrow Passages, Smart defog, PoE)	2 Years
4417627	DCS-F4604	 4MP	4 MP Full HD IR Fixed Metal Dome IP Camera (Outdoor IP66, 1/3" CMOS, Fixed Lens 2.8mm, 4MP@30FPS, Full HD 1080p, IR 30m, H.265/H.264, True WDR>120dB, DC12V/PoE)	2 Years
4417628	DCS-F4704	 4MP	4 MP Full HD IR Fixed Metal Bullet IP Camera (Outdoor IP66, 1/3" CMOS, Fixed Lens 2.8mm, 4MP@30FPS, Full HD 1080p, IR 30m, H.265/H.264, True WDR>120dB, DC12V/PoE)	2 Years
4472414	DCS-F4624	 4MP IK10	Metal vandal dome, 1/3" CMOS&ICR, H.265/H.264, 4MP@30FPS, true WDR>120dB, motorized lens 2.7-12mm, auto iris, IR 30M, audio, alarm, RS485 optional, BNC, DC12V/POE, AC24V optional, intelligent video analytics, SD card slot 128GB max, IK10	2 Years
4472445	DCS-F4724	 4MP IK10 MOTORIZED LENSE	Metal mid-size bullet, 1/3" CMOS&ICR, H.265/H.264, 4MP@30FPS, true WDR>120dB, motorized lens 2.7-12mm, auto iris, IR 30M, audio, DC12V/POE, intelligent video analytics, SD card slot 128GB max	2 Years
4207032	DCS-F4614	 4MP MIC	4 MP Full HD IR Outdoor Fixed Dome IP Camera (Outdoor IP66, 3.6mm, Full HD 1080p, IR 15m, H.265, WDR>=120dB, Corridor Mode for Narrow Passages, Smart defog, Built-in Mic, Audio In/Out, Alarm In/Out, Micro-SD up to 128GB, PoE, BNC Output)	2 Years
4207035	DCS-F4714	 4MP MIC	4MP Full HD IR Outdoor Fixed Bullet IP Camera (Outdoor IP66, 3.6mm, Full HD 1080p, IR 30m, H.265, WDR>=120dB, Corridor Mode for Narrow Passages, Smart defog, PoE)	2 Years
4472412	DCS-F4334	 4MP MINI	Metal minidome, 1/3" CMOS&ICR, H.265/H.264, 4MP@30FPS, true WDR>120dB, fixed lens 2.8mm, IR 10M, built-in MIC, audio, BNC, DC12V/POE, intelligent video analytics, SD card slot 128GB max (3.6mm lens, 2.1mm lens optional)	2 Years
4472413	DCS-F4515	 5MP FISH EYES	Metal fisheye, 1/2.9" CMOS&ICR, H.265/H.264, 5MP@60FPS, true WDR>120dB, 1.5mm lens, IR 10M, audio, built-in MIC, DC12V/POE, intelligent video analytics, SD card slot 128GB max,	2 Years
4207033	DCS-F4616	 6MP FISH EYES	6 MP Fish Eye Outdoor IP Camera (Outdoor IP66, 1.6mm, HD 720p, IR 10m, WDR, Unique De-warping Image, Fisheye Distortion Correction, Built-in Mic, Audio In/Out, Alarm In/Out, Micro-SD up to 64GB, PoE)	2 Years
	DCS-F8612	 12MP FISH EYES	Fisheye, 1/1.7" CMOS&ICR, H.265/H.264, 12MP@/20FPS, 1.83mm lens, IR 10M, audio, alarm, built-in MIC, DC12V/POE, AC24V optional, intelligent video analytics, SD card slot 128GB max, on-board dewarping	2 Years
	DCS-F8812	 12MP	Metal big bullet, 1/1.7" CMOS&ICR, H.265/H.264, 12MP@20FPS, motorized lens 4.1-12.8mm, auto iris, IR 80M, audio, alarm, RS485, BNC, DC12V/POE, intelligent video analytics, SD card slot 128GB max, P-IRIS	2 Years

	DCS-F4782F	 2MP FACIAL RECOGNITION	1/2.8" CMOS & ICR, h.265/h.264, 2MP@25fps/30fps, True WDR 120dB, DC12V/POE, DIS/Defog/HLC/BLC/9:16/IVS, Smart Human Motion Detection, Face/ Body/ Head-shoulder Capture	2 Years
	DCS-F5702PH	 2MP	Pinhole camera, 1/2.8" CMOS&ICR, H.265/H.264, 2MP@60FPS, starlight, super WDR>140dB, pinhole lens 3.7, M12 lens 2.1mm/2.8mm optional, audio, alarm 2in1out, RS485, BNC, DC12V, intelligent video analytics, SD card slot 128GB max	2 Years
	DCS-F4222	 2MP PTZ	Metal 3X dome with pan/tilt, 1/2.7" CMOS & ICR, H.265/H.264, 2MP@30FPS, Dwdr, motorized lens 2.8-8mm, IR 15M, DC12V/POE, intelligent video analytics	2 Years
4207036	DCS-F6123	 3MP PTZ	12x 3 MP High Speed Dome Outdoor IP Camera (12x Optical Zoom, 16x Digital Zoom, Outdoor IP66, IK10, 4.7~56.4mm auto focus zoom lens, IR 100m, WDR, PoE+, Micro-SD up to 64GB, Audio In/Out, Alarm In/Out)	2 Years
4207037	DCS-F6917	 3MP PTZ	30x 3 MP High Speed Dome Outdoor IP Camera (30x Optical Zoom, 16x Digital Zoom, Outdoor IP66, 4.3~129mm auto focus zoom lens, IR 150m, WDR, Micro-SD up to 64GB, Audio In/Out, Alarm In/Out)	2 Years
	DCS-F6632P	 8MP PANORAMIC	Four 1/1.8" 8MP CMOS & ICR, H.265/H.264, Edge stitching 18MP@20fps, DC12V/POE+, 1ch audio in/out, Built-in MIC, 1ch alarm in/out, SD card, dWDR/DIS/Defog/HLC/BLC/IVS	2 Years
DVR - SUPPORT UP TO 2MP (1080N)				
4207046	DVR-F1104	 HYBRID 2MP	4CH 1080P Lite Hybrid 1-Bay DVR - 1 SATA (max up to 6TB) - Supports AHD/TVI/CVI/ CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 4CH Audio Input / 1CH Audio Output	2 Years
4207047	DVR-F1108	 HYBRID 2MP	8CH 1080P Lite Hybrid 1-Bay DVR - 1 SATA (max up to 6TB) - Supports AHD/TVI/CVI/ CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 4CH Audio Input / 1CH Audio Output	2 Years
4207048	DVR-F1216	 HYBRID 2MP	16CH 1080P Lite Hybrid 2-Bays DVR - 2 SATAs (each HDD max up to 6TB) - Supports AHD/TVI/CVI/ CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 6CH Audio Input / 1CH Audio Output - 4CH Alarm Input / 1CH Alarm Output	2 Years
DVR - SUPPORT UP TO 2MP (1080P)				

	DVR-F2104	 HYBRID 2MP	4CH 1080P Lite Hybrid 1-Bay DVR - 1 SATA (max up to 6TB) - Supports AHD/TVI/CVI/CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 4CH Audio Input / 1CH Audio Output	2 Years
	DVR-F2108	 HYBRID 2MP	8CH 1080P Lite Hybrid 1-Bay DVR - 1 SATA (max up to 6TB) - Supports AHD/TVI/CVI/CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 4CH Audio Input / 1CH Audio Output	2 Years
	DVR-F2216	 HYBRID 2MP	16CH 1080P Lite Hybrid 2-Bays DVR - 2 SATAs (each HDD max up to 6TB) - Supports AHD/TVI/CVI/CVBS/IP - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Lite Output - 6CH Audio Input / 1CH Audio Output - 4CH Alarm Input / 1CH Alarm Output	2 Years
DVR - SUPPORT UP TO 5MP				
	DVR-F5104	 HYBRID 5MP H.265	5in1 hybrid 4CH 1HDD 5MP DVR, video output 1VGA&1HDMI, Audio 4in1out	2 Years
	DVR-F5108	 HYBRID 5MP H.265	5in1 hybrid 8CH 1HDD 5MP DVR, video output 1VGA&1HDMI, Audio 4in1out	2 Years
	DVR-F5216	 HYBRID 5MP H.265	5in1 hybrid 16CH 2HDD 5MP DVR, video output 1VGA&1HDMI, Audio 6in1out, Alarm 4in1out	2 Years
NVR - SUPPORT UP TO 8MP				
4472446	DNR-F4114P	 PoE H.265 8MP	4CH 1HDD H.265 NVR, 4CH POE, 40Mbps input, 40Mbps Output, Live video 1ch 4K/2ch 4Mp/4ch 1080p, 1HDMI&1VGA, 1ch Audio In/Out, 8ch Alarm In/1Out, 1RJ45, DC48V, 8TB for each HDD	2 Years
4472447	DNR-F4118P	 PoE H.265 8MP	8CH 1HDD H.265 NVR, 8CH POE, 60Mbps Input, 80Mbps Output, Live video 1ch 4K/2ch 4Mp/4ch 1080p/8ch 720P, 1HDMI&1VGA, 1ch Audio In/Out, 8ch Alarm In/1Out, 1RJ45, AC110-240V, 8TB for each HDD	2 Years
4472448	DNR-F4226P	 PoE H.265 8MP	16CH 2HDD H.265 NVR, 16CH POE, 96Mbps Input, 76Mbps Output, Live video 1ch 4K/2ch 4Mp/4ch 1080p/8ch 720p/16ch D1, 1HDMI&1VGA, 1ch Audio In/Out, 8ch Alarm In/1Out, 1RJ45, AC110-240V, 8TB for each HDD	2 Years
4207044	DNR-F4216	 H.265 8MP 2 HDD	16CH 2-Bays NVR - 2 SATAs (each HDD max up to 6TB) - 2 x 10/100/1000Mbps LAN - Video Compression H.264 High Profile - Supports VGA, HDMI 1080P Output - 1 x HDMI, 1 x VGA, 2 x USB - 1CH mic in, 1CH audio line out DC12V, 1U Casing	2 Years

4207045	DNR-F4432	 H.265 8MP 4 HDD	32CH 4-Bays NVR - 4 SATAs (each HDD max up to 6TB) - 2 x 10/100/1000Mbps LAN - Video Compression H.265/H.264 High Profile - 2 x HDMI, 1 x VGA - 1CH mic in, 1CH audio line out - 16CH Alarm Input, 4CH Alarm Output	2 Years
	DNR-F4832	 H.265 8MP 8 HDD	32CH 8-Bays NVR - 8 SATAs (each HDD max up to 6TB) - 2 x 10/100/1000Mbps LAN - Video Compression H.265/H.264 High Profile - 2 x HDMI, 1 x VGA - 1CH mic in, 1CH audio line out - 16CH Alarm Input, 4CH Alarm Output	2 Years
	DNR-F4864	 H.265 8MP 8 HDD	64CH 8-Bays NVR - 8 SATAs (each HDD max up to 6TB) - 2 x 10/100/1000Mbps LAN - Video Compression H.265/H.264 High Profile - 2 x HDMI, 1 x VGA - 1CH mic in, 1CH audio line out - 16CH Alarm Input, 4CH Alarm Output	2 Years
<u>Accessories</u>				
4207049	STR101PV-HD		Power + Video Passive transmitter+receiver, HD video+camera power - BNC and male/female DC plug - Transmission distance: HDCVI 720P: 400M / 1080P: 250M; 4Mp:200M ; HDTVI 720P/1080P: 250M; 4Mp:200M ; AHD 720P: 350M / 1080P: 200M;4Mp:200M - Transmit 12/24V AC/DC Power distance up to 100M - Built in TVS for surge protection (RJ-45 Connector direct plug-in)	NA