



Bizgram Asia Pte Ltd

Retail Wholesale Factory Outlet Address :
 #05-50 Sim Lim Square
 1 Rochor Canal Road
 Singapore 188504

Tel : +65-63346455 / 63341373

Fax : +65-63341615

SMS / Whatsapp : +65 – 8889 0955 / 8777 6955

Please send whatsapp to check stocks and timing, and any other details before visiting the store. As stocks situation might vary and price is for reference only and might change anytime due to any situation.

Program Start & End : FY19Q4

Price quote is in local currency (SGD) Exclude 7% GST

Disclaimer: Ingram Micro Reserves the Right to Change the Promotion without Prior Notice.

HPE Aruba Wireless (IAP) controllerless

Which AP is Right for You?

View and compare Aruba's complete portfolio of enterprise wireless LAN APs.

Learn about Aruba
What is 802.11ax (Wi-Fi 802.11ac reference guide
Aruba Instant Wi-Fi –
 Aruba Antennas overview
 Aruba matrix

<http://www.arubanetworks.com/products/networking/802-11ac/>
<https://www.arubanetworks.com/products/networking/802-11ax/>
http://www.arubanetworks.com/assets/poster_wave2.pdf
<https://www.arubanetworks.com/products/networking/access-points/>
<http://www.arubanetworks.com/products/networking/antennas/>
<http://www.arubanetworks.com/assets/matrix/matrix-antennas.pdf>

Warranty Support

Aruba Product Warranty
 FAQ
 HPE FC Exchange Svc
 Partner-Branded Support

<http://www.arubanetworks.com/support-services/product-warranties/>
http://www.arubanetworks.com/assets/faq/FAQ_product_warranty.pdf
<https://h20195.www2.hpe.com/v2/getpdf.aspx/4aa4-8877enw.pdf>
 Click TAB for more details - 'Partner Branded Support (PBS)

<p>Optional Mounting Accessories Optional Power Injector Support</p>	<p>Aruba IAP (Instant Access Point) Configuration Ordering Guide IAP Select the model of the IAP (Instant Access Point) Select Either one : (JW047A - White) OR (JW046A - Black) order only qty 1 the correct part no required quote Either FC Exchange OR PBS Support</p>
---	---

Mat #	Part #	Product Description
-------	--------	---------------------

Mat #	Part #	Product Description
Aruba IAP-305 (RW) Instant (Entry-level 802.11ac Wave 2 Access Points)		
Wifi Standards : Indoor, dual radio, 5GHz 802.11ac 3x3 MIMO and 2.4GHz 802.11n 2x2 MIMO Built-in Bluetooth Low-Energy (BLE) radio Ports : 2 Built-in Bluetooth Low-Energy (BLE) radio AP Type (Operation Mode) : Cloud-managed One 10/100/1000BASE-T Ethernet network interface (RJ-45) with power supply : 11W max with 802.3at PoE+ : 13W max MIMO (802.11n) : 2x2/2/3x3 MU-MIMO Number of Internal Antennas : 3X integrated omni-directional downtilt dualband antenna Datasheet http://www.arubanetworks.com/assets/ds/DS_AP300Series.pdf Product overview http://www.arubanetworks.com/assets/og/OG_AP-300Series.pdf		
This is for Standalone Purchase for IAP 305 Only		
3435578	JX945A	Aruba IAP-305 (RW) Instant 2x/3x 11ac AP
Mounting Accessories (Select ONE ONLY)		
3431678	JW047A	AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit
3431677	JW046A	AP-220-MNT-W1 Flat Surface Wall/Ceiling Black AP Basic Flat Surface Mount Kit
POE injector		
3432019	JW627A	PD-3501G-AC 1p GE 802.3af (up to 15.4W) Midspan injector
3432021	JW629A	PD-9001GR-AC 30W 1p 802.3at (up to 30W) PoE+ Indoor Rated Midspan injector
3435585	JX990A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter
3435340	JW127A	PC-AC-UK UK AC Power Cord
HPE Foundation Care EXCHANGE parts Only (NO Onsite support)		
3443166	H5DW1E	Aruba 1Y FC NBD Exchange IAP 305 SVC [for JX945A]
3443168	H5DW6E	Aruba 3Y FC NBD Exchange IAP 305 SVC [for JX945A]
Click Here		
PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY		
4031128	H1L06A1#ZZ5	HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba IAP-305 Supp [for JX945A]
3707851	H1L06A3#ZZ5	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba IAP-305 Supp [for JX945A]

Aruba IAP-315 (RW) High performance 802.11ac Wave 2

Indoor, dual radio, 5 GHz 802.11n/ac and 2.4 GHz 802.11n 4x4 MU-MIMO.
 Built-in Bluetooth Low-Energy (BLE) radio
 Ports : 2
 Built-in Bluetooth Low-Energy (BLE) radio
 AP Type (Operation Mode) : Cloud-managed
 One 10/100/1000BASE-T Ethernet network interface (RJ-45)
 with power supply : 12.7W max
 with 802.3at PoE+ : 14.4W max
 MIMO (802.11n) : 4x4:4SS MU-MIMO
 Number of Internal Antennas :4X integrated omni-directional downtilt dual-band antennas
 Datasheet http://www.arubanetworks.com/assets/ds/DS_AP310Series.pdf
 Product overview <http://www.arubanetworks.com/products/networking/access-points/310-series/>

kit mat #	Kit bundle	IAP 315 + Power Adaptor
3432066	JW811A	Aruba IAP-315 (RW) Instant 2x/4x 11ac AP
3435585	JX90A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter
3435340	JW127A	PC-AC-UK UK AC Power Cord
Mounting Accessories (Select ONE ONLY)		
3431678	JW047A	AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit
3431677	JW046A	AP-220-MNT-W1 Flat Surface Wall/Ceiling Black AP Basic Flat Surface Mount Kit
POE injector		
3432019	JW627A	PD-3501G-AC 1p GE 802.3af (up to 15.4W) Midspan injector
3432021	JW629A	PD-9001GR-AC 30W 1p 802.3at (up to 30W) PoE+ Indoor Rated Midspan injector
3435585	JX90A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter
3435340	JW127A	PC-AC-UK UK AC Power Cord
HPE Foundation Care EXCHANGE parts Only (NO Onsite support)		
3443068	H4UA3E	Aruba 1Y FC NBD Exchange IAP 315 SVC [for JW811A]
3443070	H4UB1E	Aruba 3Y FC NBD Exchange IAP 315 SVC [for JW811A]
Click Here		
3613844	H1L06A1#ZYD	PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba IAP 315 Supp [for JW811A]
4030329	H1L06A3#ZYD	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba IAP 315 Supp [for JW811A]

New promo offer

Aruba 303 Series Campus Access Points

Low-cost 802.11ac wave 2 (Wi-Fi 5) enterprise AP

http://h20195.www2.hpe.com/v2/redirect.aspx?products/quickspecs/16100_div/16100_div.HTML

na	na	Aruba IAP-303 (RW) & Power injector - Promo Bundle
4123391	JZ320A	Aruba AP-303 (RW) Unified AP
3432019	JW627A	PD-3501G-AC 1p GE 802.3af (up to 15.4W) Midspan injector
3435340	JW127A	PC-AC-UK UK AC Power Cord
POE injector		
3432019	JW627A	PD-3501G-AC 1p GE 802.3af (up to 15.4W) Midspan injector
3432021	JW629A	PD-9001GR-AC 30W 1p 802.3at (up to 30W) PoE+ Indoor Rated Midspan injector
3435585	JX90A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter
HPE Foundation Care _ PARTS EXCHANGE Only (NO onsite)		
4320655	H9VR8E	Aruba 1Y FC NBD Exchange AP 303 SVC [for JZ320A]
TBA	H9VRS0E	Aruba 3Y FC NBD Exchange AP 303 SVC [for JZ320A]
Click Here		
4342198	H1L06A1#Y1N	PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba AP303Supp [for JZ320A]
TBA	H1L06A3#Y1N	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba AP303Supp [for JZ320A]

Aruba IAP-325 (RW) (Bringing a switch-like experience to 802.11ac)

Indoor, dual radio, 5 GHz 802.11ac and 2.4 GHz 802.11n 4x4 MIMO.
 Built-in Bluetooth Low-Energy (BLE) radio
 Ports : 2
 Built-in Bluetooth Low-Energy (BLE) radio
 AP Type (Operation Mode) : Cloud-managed
 One 10/100/1000BASE-T Ethernet network interface (RJ-45)
 with power supply : 18.5W max
 with 802.3at PoE+ : 20W max
 MIMO (802.11n) : 4x4:4SS MU-MIMO
 Datasheet http://www.arubanetworks.com/assets/ds/DS_AP320Series.pdf
 Product overview <http://www.arubanetworks.com/products/networking/access-points/aruba-320-series/>

3431805	JW325A	Aruba IAP-325 (RW) Instant 4x4:4 11ac AP
Mounting Accessories (Select ONE ONLY)		
3431678	JW047A	AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit
3431677	JW046A	AP-220-MNT-W1 Flat Surface Wall/Ceiling Black AP Basic Flat Surface Mount Kit
POE injector (only can use JW926A)		
3432021	JW629A	PD-9001GR-AC 30W 1p 802.3at (up to 30W) PoE+ Indoor Rated Midspan injector
3435585	JX90A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter
3435340	JW127A	PC-AC-UK UK AC Power Cord
HPE Foundation Care EXCHANGE parts Only (NO Onsite support)		
3442960	H4DN5E	Aruba 1Y FC NBD Exchange IAP 325 SVC [for JW325A]
3442962	H4DP3E	Aruba 3Y FC NBD Exchange IAP 325 SVC [for JW325A]
Click Here		
3517386	H1L06A1#XS0	PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba IAP 325 Supp [for JW325A]
3616641	H1L06A3#XS0	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba IAP 325 Supp [for JW325A]

New		Aruba IAP-335 (RW) (802.11ac Wave 2 that scales up to multi-gig Ethernet)	
		Indoor, dual radio, 5 GHz 802.11ac and 2.4 GHz 802.11n 4x4 MU-MIMO Built-in Bluetooth Low-Energy (BLE) radio Ports : 2 Built-in Bluetooth Low-Energy (BLE) radio AP Type (Operation Mode) : Cloud-managed One 10/100/1000BASE-T Ethernet network interface (RJ-45) with power supply : 25W max with 802.3at PoE+ : 25.3W max MIMO (802.11n) : 4x4-4SS MU-MIMO Number of Internal Antennas 12X integrated omni-directional downtilt dualband antennas	
		Datasheet http://www.arubanetworks.com/assets/ds/DS_AP330Series.pdf Product overview http://www.arubanetworks.com/products/networking/access-points/330-series/	
3432070	JW823A	Aruba IAP-335 (RW) Instant 4x4:4 11ac AP	
		Mounting Accessories (Select ONE ONLY)	
3431678	JW047A	AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit	
3431677	JW046A	AP-220-MNT-W1 Flat Surface Wall/Ceiling Black AP Basic Flat Surface Mount Kit	
		Generic Indoor AP Accessories	
3432021	JW629A	PD-9001GR-AC 30W 802.3at PoE+ 10/100/1000 Ethernet Indoor Rated Midspan Injector	
3435586	JX991A	AP-AC-48V36C 48V/36W AC/DC Desktop Style 1.35/3.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter	
3435340	JW127A	PC-AC-UK UK AC Power Cord	
		HPE Foundation Care EXCHANGE parts Only (NO Onsite support)	
3443104	H4UV1E	Aruba 1Y FC NBD Exch IAP 335 SVC [forJW823A]	
3443106	H4UV9E	Aruba 3Y FC NBD Exch IAP 335 SVC [forJW823A]	
		Click Here PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY	
TBA	H1L06A1#ZYE	HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba IAP 335 Supp [for JW823A]	
TBA	H1L06A3#ZYE	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba IAP 335 Supp [for JW823A]	

		IAP-207 - End of Sales - Please migrate to IAP-303	
		Wifi Standards : Indoor, dual radio, 2x2 MIMO supports up to 867 Mbps in the 5GHz band (with 255/VHT80 clients) and up to 400 Mbps in the 2.4GHz band. Built-in Bluetooth Low-Energy (BLE) radio Ports : 2 AP Type (Operation Mode) : Cloud-managed One 10/100/1000BASE-T Ethernet network interface (RJ-45) with power supply : 10.1W max with 802.3at PoE+ : 12.3W max MIMO (802.11n) :2x2/3x3 MU-MIMO Number of Internal Antennas : 2x integrated dual-band downtilt omni-directional antennas for 2x2 MIMO with maximum antenna gain of 3.4dBi in 2.4GHz and 6.6dBi in 5GHz.	
		Datasheet http://www.arubanetworks.com/products/networking/access-points/207-series/ Product overview http://www.arubanetworks.com/assets/ds/DS_AP207Series.pdf	
Indent	4101431	JX954A	Aruba Instant IAP-207 (RW) 802.11n/ac 2x2:2 Dual Radio Integrated Antenna AP
		Mounting Accessories (Select ONE ONLY)	
3435597	JY705A	AP-200-MNT-W3 White Low Profile Box Style Secure Small Indoor AP Flat Surface Mount Kit	
3431678	JW047A	AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit	
3431677	JW046A	AP-220-MNT-W1 Flat Surface Wall/Ceiling Black AP Basic Flat Surface Mount Kit	
		POE injector	
3432019	JW627A	PD-3501G-AC 1p GE 802.3af (up to 15.4W) Midspan injector	
3432021	JW629A	PD-9001GR-AC 30W 1p 802.3at (up to 30W) PoE+ Indoor Rated Midspan injector	
3435585	JX990A	AP-AC-12V30B 12V/30W AC/DC Desktop Style 2.1/5.5/9.5mm Circular 90 Deg Plug DoE Level VI Adapter	
3435340	JW127A	PC-AC-UK UK AC Power Cord	
		HPE Foundation Care _ PARTS EXCHANGE Only (NO onsite)	
3587185	H5BT7E	Aruba 1Y FC NBD Exchange IAP 207 SVC [for JX954A]	
3524616	H5BU2E	Aruba 3Y FC NBD Exchange IAP 207 SVC [for JX954A]	
		Click Here PBS (Partner-Branded Services supported by HPE) PARTS Replacement ONLY	
3743372	H1L06A1#Y7Y	HPE 1Y Partner-Branded NBD Support SVC - HPE Aruba IAP-207 Supp [for JX954A]	
TBA	H1L06A3#Y7Y	HPE 3Y Partner-Branded NBD Support SVC - HPE Aruba IAP-207 Supp [for JX954A]	

