

Retail Wholesale Factory Outlet Address :
 #05-50 Sim Lim Square
 1 Rochor Canal Road
 Singapore 188504

Tel : +65-63346455 / 63341373
 Fax : +65-63341615
 SMS / Whatsapp : +65 – 8889 0955 / 8777 6955

Please send whatsapp to check stocks and timing, and any other details before visiting the store. As stocks situation might vary and price is for reference only and might change anytime due to any situation.

INWIN CHASSIS				
PRODUCT	CHASSIS NUMBER SERIES	FORM	FEATURES	REMARKS
	101C WHITE NO FANS 	ATX	<ul style="list-style-type: none"> - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" or 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER
	101C BLACK 	ATX	<ul style="list-style-type: none"> - 3x POLARIS RGB FANS INCLUDED - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" or 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER
	101 TUF  	ATX	<ul style="list-style-type: none"> - TUF ALLIANCE THEME WITH LIGHTS - 3x POLARIS RGB FANS INCLUDED - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" or 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER
	101 PBA  	ATX	<ul style="list-style-type: none"> - POWERED BY ASUS THEME WITH LIGHTS - 3x POLARIS RGB FANS INCLUDED - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" or 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER
	103 BLACK 	ATX	<ul style="list-style-type: none"> - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" or 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER
	103 WHITE 	ATX		
	C200	NEW EATX	<ul style="list-style-type: none"> - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 6x 3.5" 2x 2.5" 2x 5.25" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 400mm (MAX) (Removing of 4x 3.5" HDD Cages) - SUPPORT UP TO 240mm RADIATOR 	MID TOWER



IN WIN

AverTek

INWIN CHASSIS				JULY
PRODUCT	CHASSIS NUMBER SERIES	FORM	FEATURES	REMARKS
	C216	NEW EATX	<ul style="list-style-type: none"> - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 166mm - PSU LENGTH: 220mm - VGA CARD LENGTH: 380mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm) 	MID TOWER
	301C BLACK 	mATX	<ul style="list-style-type: none"> - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 1x 3.5" <u>or</u> 1x 2.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 330mm (MAX) 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR 	MINI TOWER
	303C BLACK 	ATX	<ul style="list-style-type: none"> - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 350mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm) 	MID TOWER
	303C WHITE 	ATX	<ul style="list-style-type: none"> - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 350mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm) 	MID TOWER
	305 BLACK 	ATX	<ul style="list-style-type: none"> - EXQUISITELY MODEST AESTHETIC FRONT DESIGN - PORTS: 2x USB3.0 2x USB2.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 350mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm) 	MID TOWER
	307 WHITE 	ATX	<ul style="list-style-type: none"> - 144 ADDRESSABLE LED CUSTOMIZABLE FRONT WITH AUDIO RECOGNITION - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 350mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm) 	MID TOWER



IN WIN

AverTek

INWIN CHASSIS				JULY
PRODUCT	CHASSIS NUMBER SERIES	FORM	FEATURES	REMARKS
	805 BLACK W/POLARIS FAN X3 	ATX	<ul style="list-style-type: none"> - 3 SIDED TEMPERED GLASS - ALUMINIUM BODY - 3x POLARIS FANS INCLUDED - PORTS: 1x USB3.1 (G2) TYPE C 1x USB3.0 2x USB2.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" <u>or</u> 4x 2.5" - CPU HEATSINK HEIGHT: 156mm - PSU LENGTH: 220mm - VGA CARD LENGTH: 320mm (MAX) - SUPPORT UP TO 280mm RADIATOR 	MID TOWER LIMITED STOCKS
	915 BLACK 	EATX	<ul style="list-style-type: none"> - TOOL-LESS QUICK RELEASE TEMPERED GLASS - SILKSCREEN TEMPERED BACK GLASS PANEL - ALUMINIUM CURVED FRONT & BACK PANELS - MOTORIZED TOP VENTILATION - EXPANDABLE PSU BAY - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 4x 3.5" 9x 2.5" <u>or</u> 13x 2.5" - CPU HEATSINK HEIGHT: 164mm - PSU LENGTH: 250mm (UP TO 320mm WITH HDD CAGE REMOVED) - VGA CARD LENGTH: 410mm (MAX) - PCIE SLOTS X8 - VERTICAL PCIE SLOTS X2 FOR VERTICAL GPU MOUNTING - SUPPORT UP TO 360MM RADIATOR WITH FANS (HEIGHT MAX: 70mm) 	FULL TOWER LIMITED STOCKS
	915 SILVER 	EATX		
	925 BLACK	EATX	<ul style="list-style-type: none"> - 2 SIDED TEMPERED GLASS - ALUMINIUM BODY (4mm) - PORTS: 1x USB3.1 (G2) TYPE C 1x USB3.0 2x USB2.0 HD AUDIO - DRIVE: 4x 3.5" 3x 2.5" - CPU HEATSINK HEIGHT: 200mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 420mm (MAX) - SUPPORT UP TO 360mm RADIATOR 	FULL TOWER LIMITED STOCKS (B2B)
PRODUCT	CHASSIS ITX SERIES	FORM	FEATURES	REMARKS
	CHOPIN BLACK (150W 80+ BRONZE)	ITX	<ul style="list-style-type: none"> - 3.3L ULTRA SMALL FORM FACTOR - SLEEK ALUMINIUM EXTERIOR - PERFORATED MESH FOR EXCELLENT VENTILATION - DUAL ORIENTATION AND SPACE SAVING SAVVY DESIGN - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2X 2.5" - CPU HEATSINK HEIGHT: 43mm MAX - 150W 80+ BRONZE PSU INCLUDED 	SMALL FORM FACTOR (ULTRA)
	CHOPIN SILVER (150W 80+ BRONZE)	ITX		
	A1 BLACK (600W 80+ BRONZE) 	ITX	<ul style="list-style-type: none"> - WIRELESS QI CHARGING - TEMPERED GLASS TOP & ALUMINIUM BRUSH FRONT - 2x POLARIS FANS INCLUDED - TINTED TRANSPARENT STAND WITH RGB EFFECTS - PORTS: 2X USB3.0 HD AUDIO 	MINI ITX



A1 WHITE
(600W 80+ BRONZE)



ITX

- DRIVE: 2x 2.5"
- CPU HEATSINK HEIGHT: 160mm
- VGA CARD LENGTH: 320mm MAX
- SUPPORT DUAL SLOT GRAPHICS CARD
- 600W 80+ BRONZE PSU INCLUDED

TOWER



IN WIN

AverTek





INWIN CHASSIS				JULY
PRODUCT	CHASSIS ITX SERIES	FORM	FEATURES	REMARKS
	A1 PLUS BLACK (650W 80+ GOLD) 	ITX	<ul style="list-style-type: none"> - WIRELESS QI CHARGING - TEMPERED GLASS TOP & ALUMINIUM BRUSH FRONT - 2x SIRUS LOOP FANS (ASL120) INCLUDED - TINTED TRANSPARENT STAND WITH ADDESSABLE RGB EFFECTS - PORTS: 2X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - VGA CARD LENGTH: 320mm MAX - SUPPORT DUAL SLOT GRAPHICS CARD - 650W 80+ GOLD PSU INCLUDED 	MINI ITX TOWER
	A1 PLUS WHITE (650W 80+ GOLD) 	ITX		
	A1 PLUS PINK (650W 80+ GOLD) 	ITX		
	B1 BLACK (200W 80+ GOLD) 	NEW ITX	<ul style="list-style-type: none"> - SMALL FOOTPRINT WITH EXQUISITE STREAMLINE DESIGN - VERSATILE ORIENTATION WITH STYLE - PORTS: 1X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 60mm MAX - 200W 80+ GOLD PSU INCLUDED 	SMALL FORM FACTOR (ULTRA)
PRODUCT	CHASSIS S.F.F SERIES	FORM	FEATURES	REMARKS
	IW-CJ708 (265W 80+ BRONZE)	mATX	<ul style="list-style-type: none"> - 8L ULTRA SMALL FORM FACTOR - TOOL-FREE INTERNAL DESIGN FOR BAY AND PCIE SLOTS - BAYS: 1x SLIM ODD BAY (9.5mm THICKNESS) - PORTS: 2x USB3.0 2X USB2.0 HD AUDIO - DRIVE: 1x 3.5" 1X 2.5" - CPU HEATSINK HEIGHT: 45mm MAX - 265W 80+ BRONZE PSU INCLUDED - PADLOCK LOOP / KENSINGTON SLOT 	SMALL FORM FACTOR (ULTRA)
	IW-CE685 (300W 80+ BRONZE)	mATX	<ul style="list-style-type: none"> - 11.9L SLIM SMALL FORM FACTOR - TOOL-FREE INTERNAL DESIGN FOR BAY AND PCIE SLOTS - BAYS: 1x SLIM ODD BAY (9.5mm THICKNESS) - PORTS: 2x USB3.0 2X USB2.0 HD AUDIO - DRIVE: 1x 3.5" 1x 2.5" - CPU HEATSINK HEIGHT: 45mm MAX - 300W 80+ BRONZE PSU INCLUDED - PADLOCK LOOP / KENSINGTON SLOT 	SMALL FORM FACTOR (SLIM)
PRODUCT	CHASSIS SERVER	FORM	FEATURES	REMARKS
	R400-01N	EEB	<ul style="list-style-type: none"> - BAYS (EXTERNAL): 3x 5.25" 1x 3.5" - BAYS (INTERNAL): 4x 3.5" 1X 2.5" - PORTS: 2X USB2.0 - CPU HEATSINK HEIGHT: 164mm MAX - VGA CARD LENGTH: 350mm (MAX) - COMPATIBLE WITH STANDARD PS2 OR MINI REDUNDANT PSU - CONVERTIBLE TO TOWER WITH <u>OPTIONAL</u> CHASSIS STAND - SUPPORT 28" TOOL-LESS & BALL-BEARING SLIDE RAILS 	4U













IN WIN

AverTek

INWIN AIO COOLERS JULY

PRODUCT	SR SERIES AIO COOLER	FORM	FEATURES	REMARKS
	SR24 	240MM	COMING SOON SR Series PUMP - PATENTED TWIN TURBINES TECHNOLOGY - DUAL CHAMBER DESIGN - CAUTIONARY LED FOR MONITORING PUMP - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - SPEED: 2400 RPM (+10%)	PWM
	SR36 	360MM	JUPITER AJE120 - NOISE: 23 dBA - CFM: 101.5 - SPEED: 500 ~ 2500 RPM - DOUBLE BALL BEARING	PWM

INWIN FANS JULY

PRODUCT	FANS SIRUS LOOP	FORM	FEATURES	REMARKS
 COMING SOON	SIRUS LOOP (TRIPLE PACK) ASL 120 	120MM	- DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.2W 0.10A - CFM: 50 - SPEED: 500 ~ 1800 RPM	PWM
 COMING SOON	JUPITER - ARGB IW-FN-A.1120-3PK 	120MM	- HIGH AIR FLOW - DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 2.4W 0.20A - CFM: 70.32 - SPEED: 500 ~ 1800 RPM	PWN
	POLARIS-RGB (TWIN PACK) 	120MM	- DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - RGB - FAN RATED: 1.2W 0.10A - CFM: 43.31 - SPEED: 500 ~ 1280 RPM	PWM
	CROWN - ARGB AC120FAN-2PK (TWIN PACK) 	120MM	- HIGH STATIC PRESSURE - DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 2.16W 0.18A - CFM: 53.08 - SPEED: 500 ~ 1600 RPM 14.7 ~ 28.3 db(A)	PWM
	CROWN - ARGB AC140FAN-2PK (TWIN PACK) 	140MM	- HIGH STATIC PRESSURE - DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 2.4W 0.2A - CFM: 69.03 - SPEED: 500 ~ 1500 RPM 18.1 ~ 32.5 db(A)	



INWIN

AverTek

INWIN POWER SUPPLY				JULY
PRODUCT	PSU 80+ GOLD	FORM	FEATURES	REMARKS
	CS-700W	FULL MODULAR	<ul style="list-style-type: none"> - COMPACT SFX SERIES - CERTIFICATION: 80+ GOLD - FULL MODULAR WITH ALL FLAT CABLES - FAN: 92mm - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - 5 YEARS WARRANTY 	SFX
	PB-750W 		<ul style="list-style-type: none"> - PREMIUM BASIC SERIES - CERTIFICATION: 80+ GOLD - FULL MODULAR WITH ALL FLAT CABLES - FAN: 135mm FLUID DYNAMIC BEARING (FDB) - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - RBG COMPATIBLE WITH RGB SUPPORTED HARDWARE - RGB STANDALONE MODE - 5 YEARS WARRANTY 	RGB
	PB-850W 		<ul style="list-style-type: none"> - 5 YEARS WARRANTY 	RGB
PRODUCT	PSU 80+ PLATINUM	FORM	FEATURES	REMARKS
	CB-1050W	FULL MODULAR	<ul style="list-style-type: none"> - CLASSIC BASIC SERIES - CERTIFICATION: 80+ PLATINIUM - FULL MODULAR WITH ALL FLAT CABLES - FAN: 135mm DOUBLE BALL BEARING (DBB) 	
	CB-1250W		<ul style="list-style-type: none"> - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - DIGITAL VOLTAGE FEEDBACK DESIGN - ULTRA QUIET SMART FAN CONTROL - 7 YEARS WARRANTY 	