














Biogiam Asia Pte Ltd
#02-50 Sun Lion Square
1 Raffles Court Road
Singapore 119204
Open Daily 10am to 6pm
No Lunch Break - 7 Days a week
Open on Public Holidays
RCC: 2009015472
GST: 2009015472
UEN: 2009015472
Call: 2009015472

WhatsApp: +65 87776955
SMS: +65 87776955
Tel: +65 63846455
Fax: +65 63841615
Email: sales@biogiam.com














Model	Picture	Specifications	Price
ORICO 27903-B-0P		Red-Black gel 2.5 Inch Triple Protection HDD Enclosure 1) Feature: ABS + ABS gel 2) Color: Blue 3) Control Switch: ABS/ON 4) Output Interface: SATA II Type-A 5) Input Interface: SATA II Type-A 6) Transmission Rate: 500ps 7) Power Supply: USB power supply 8) Installation: screw rotation 9) Material: ABS+ABS gel 10) System: Windows / Mac / Linux	SGD 14.90
ORICO 27903-RD-0P		Red-Black gel 2.5 Inch Triple Protection HDD Enclosure 1) Feature: ABS + ABS gel 2) Color: Red 3) Control Switch: ABS/ON 4) Output Interface: SATA II Type-A 5) Input Interface: SATA II Type-A 6) Transmission Rate: 500ps 7) Power Supply: USB power supply 8) Installation: screw rotation 9) Material: ABS+ABS gel 10) System: Windows / Mac / Linux	SGD 14.90
ORICO 22903-CR-0P		Transparent Series Dual-Bay Hard Drive Enclosure 1) Material: Transparent PC 2) Chip: AMD64 3) Output Interface: USB 2.0 Type-B 4) Input Interface: SATA Power Adapter 5) Supported OS: 7.5, Linux 2.6, SATA HDD and SSD 6) Dimension: 82*72*25.5mm 7) Supported System: Windows/Mac/Linux 8) Accessory: 2M USB 2.0 to A Data Cable, 1.3M SATA to DC Power Adapter	SGD 8.00
ORICO 21903-CR		ORICO 2.5 inch Transparent USB 2.0 Hard Drive Enclosure with Serial 2) Compatible HDD for 2.5 inch HDD/SSD 3) Input: SATA II 4) Output: USB 2.0 Mini-B 5) Power Supply: USB port 6) Material: Transparent PC 7) Transfer Rate: 500ps 8) Supports Smart/Secure, LAMP protocol, hot swapping, E-green engine, 4TB hard drive capacity, etc	SGD 12.00
ORICO 21903-C2-CR		ORICO 2.5" SATA II hard drive enclosure 2) Supports 2.5" SATA HDD/SSD with thickness from 9.5mm, 7.5mm, 7.0mm 3) SATA I/G2/G3 interface, maximum transfer rate up to 150Mbps 4) ABS material, good cooling capacity 5) Built-in thermal protection, overheat protection function 6) Good compatibility supports Windows 10 / 8 / 7 / Vista / XP or Mac OS 9.0 and above 7) Color: Silver 8) Support 10000+ hours 9) LED indicator: with blue light 10) PC insurance: 300000 USD global insurance	SGD 25.00
ORICO S23-1M2		M.2 SATA to SATA 2.5 inch NGFF Type: NGFF Color: Black Interface: M.2 SATA to SATA 2.5 inch LED: Blue Input: SATA Operating Voltage: 3.3V Size: 95*72*15mm Weight: 47g Complies Standard: SATA/DCI Q10-2009	SGD 21.00
ORICO M275		ORICO M.2 NGFF M2 SATA to SATA Enclosure 2) Input: SATA II 3) Output: SATA II 4) Capacity: 1TB per bay, 4TB in total 5) Installation: With screws 6) System: Windows / Mac / Linux	SGD 21.00
ORICO PM32-C3		Mini M.2 SSD Enclosure 1) Material: Aluminum Alloy 2) Color: Black/Silver/Red 3) Output Interface: USB 3.1 Type-C 4) Control Switch: ABS/ON 5) Transmission Rate: USB 3.1 GEN2 (500ps) 6) Color: ABS (Smart/Secure/Overheat Protection) 7) Capacity: 2TB Mini 8) System: Windows / Mac / Linux	SGD 28.00
ORICO TC M2-C3		Mini M.2 SSD Enclosure (SSD only) 1) Material: Aluminum Alloy 2) Color: Black/Silver/Red/Aluminum Alloy plate 3) Output Interface: USB 3.1 Type-C 4) Chip: AMD64 (USB3.1) 5) Control Switch: ABS/ON 6) Capacity: 2TB Mini 7) System: Windows / Mac / Linux	SGD 35.00
ORICO PM32-C3-01		ORICO MINI M.2 SSD Enclosure 2) Material: Aluminum Alloy 3) Color: Silver 4) Output: USB 3.1 Type-C 5) Chip: AMD64 (USB3.1) 6) Capacity: 1TB per bay, 4TB in total 7) Capacity: up to 2TB 8) Installation: With screws 9) Supported system: Windows / Mac / Linux 10) Compatible with 2280, 2260, 2242, 2230, 2280 M.2 NVMe SSD. 11) Comes with LED indicator, the user can monitor the work status of SSD	SGD 69.00
ORICO PM32-C3-0V		ORICO MINI M.2 SSD Enclosure 2) Material: Aluminum Alloy 3) Color: Silver 4) Output: USB 3.1 Type-C 5) Chip: AMD64 (USB3.1) 6) Capacity: 1TB per bay, 4TB in total 7) Capacity: up to 2TB 8) Installation: With screws 9) Supported system: Windows / Mac / Linux 10) Compatible with 2280, 2260, 2242, 2230 M.2 NVMe SSD. 11) Comes with LED indicator, the user can monitor the work status of SSD	SGD 69.00
ORICO DM2-RC3		1) ORICO Aluminum Dual-bay (SSDs) M.2 NVMe Internal Hard Drive Enclosure 2) Material: Aluminum Alloy 3) Dimension: 147*72*15mm 4) Output Interface: USB 3.1 Type-C 5) Transmission Speed: SATA I/G2/G3 6) Power Supply: Type-C Port Power Supply 7) Installation: Screw 8) with 3 cables: one C to C 10 Gbps, another A to C 10 Gbps.	SGD 109.00

ORICO M5A-US 5V		<ul style="list-style-type: none"> 1) Type-C: ORICO 3.1" USB4 Hard drive external enclosure 2) Support M SATA SSD, high speed up to 5Gbps 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Material: Aluminum 5) Support: 2TB 6) Plug and play, support hot-swap. 7) Cable: 5.5m 8) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 9) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage. <p>12PCC Insurance + 30000USD global insurance</p>	\$60 22.00
ORICO M5A-US 5V		<ul style="list-style-type: none"> 1) Type-C: ORICO 3.1" USB4 Hard drive external enclosure 2) Support M SATA SSD, high speed up to 5Gbps 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Material: Aluminum 5) Support: 2TB 6) Plug and play, support hot-swap. 7) Cable: 5.5m 8) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 9) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage. <p>12PCC Insurance + 30000USD global insurance</p>	\$60 19.00
M5D-US		<ul style="list-style-type: none"> 1) ORICO Aluminum M.2 External SSD Enclosure 2) Material: Aluminum Alloy 3) Output Interface: USB 3.0 Micro B 4) Supported Capacity: 2TB Max 5) Compatible with 2280, 2280, 2280, and 2280 M.2 hard drives 6. 1.8mm slim and 45g lightweight portable design 7. Hot drive required and supports plug and play 8. Supported System: Windows/Mac/Linux 9. Supports safe erasing and TRIM protocols 	\$60 35.00
M5D-C1		<ul style="list-style-type: none"> 1) ORICO Aluminum M.2 External SSD Enclosure 2) Material: Aluminum Alloy 3) Output Interface: Type-C 4. Supported Capacity: 2TB Max 5. Compatible with 2280, 2280, 2280, and 2280 M.2 hard drives 6. 1.8mm slim and 45g lightweight portable design 7. Hot drive required and supports plug and play 8. Supported System: Windows/Mac/Linux 9. Supports UASP operating and TRIM protocols 	\$60 35.00
ORICO P5M2		<ul style="list-style-type: none"> 1) ORICO M.2 3.5" SATA to PCI-E 3.0 M.2 Expansion Card 2) Internal Interface: M.2 2280 mm 3) Supported SATA: PCI-E 3.0 SATA III compatible with mainstream (AC9700/8000 series) 4) Supported SSD: 2280/2242/2260/2280, PCI-E Channel NVMe Protocol M.2 SSD 5) Supported Capacity: 512GB-8TB (limited by hardware/BIOS/OS) 6) Supported Capacity: 4TB Max, 7TB Single Drive 7) Supported System: Windows/Mac/Linux 8) Features: multi-chip for cooling, dual stainless steel baffles, supports high speed starting mode, dual slots with 4TB capacity, etc 	\$60 39.00
ORICO 20K7S-BK		<ul style="list-style-type: none"> 1) 2.5-inch SATA HDD adapter 2) Material: ABS plastic 3) Color: Black 4) Interface: USB 3.0 A to SATA II, SATA III 5) Size: 12.7" x 5.7" x 1.57" 6) Cable: 5.5m 7) Support: 3.5" SATA HDD 8) Support: 2TB 9) Features: Compatible with 2.5-inch SATA HDD, SSD 10) When power is disconnected, the drive will start with the spin light flashes. 11) Supported System: Windows XP, Windows 7, Windows 8, 8.1 or above, Mac OS X 10.5 or above, Linux <p>12PCC Insurance + 30000USD</p>	\$60 12.00
ORICO 35U7S-BK		<ul style="list-style-type: none"> 1) Material: ABS plastic 2) Interface: USB 3.0 A male to SATA II + SATA III 3) Data line with connector cable length: 5.5m 4) Support hard drive: 2.5 inch hot or cold 5) Maximum supply: 12V 2A 6) With built-in LED light, use status at a glance 7) Product surface with a circular concave process, pull out the hard drive is better applicable 8) Compatible with 2.5-inch & 3.5-inch SATA HDD, SSD 9) Supported system: Windows XP, Windows 7, Windows 8, 8.1 or above, Mac OS X 10.5 or above, Linux <p>12PCC Insurance</p>	\$60 22.00
ORICO 25B8US-V1-BK		<ul style="list-style-type: none"> 1) ORICO 3.1" USB4 Hard drive external enclosure 2) Support 3.1" SATA HDD/SSD with maximum Transfer: 8 Gbps, 2TB 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Good heat dissipation, good cooling capacity 5) Built-in foam carbon particles, shockproof function. 6) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 7) Cable: 5.5m 8) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage 9) Support UASP 10) LED indicator: soft blue light <p>12PCC Insurance + 30000USD global insurance</p>	\$60 12.00
ORICO 25B8C-G1		<ul style="list-style-type: none"> 1) 3.5 inch Type-C Hard Drive Enclosure 2) Compatible With: 2.5 to 3.5 inch HDD 3) Product Interface: SATA Revision 3.0 4) Front Interface: USB 3.0 Type-C 5) Dimension: 120 x 41 x 13mm 6) Weight: 50g 7) LED indicator: blue 8) Serial Cable: USB 3.1 Gen1 to SATA, USB 3.0 to SATA, SATA to SATA 	\$60 19.00
NEW ORICO 2579G1-BK-PRO		<ul style="list-style-type: none"> 1) Material: ABS 2) Interface: USB 3.0 Micro B + SATA II 3) Capacity: 2TB 4) Installation: Tool Free 5) Support: 3.5" SATA HDD and below 6) Dimensions: 127 x 61 x 14mm 7) Support System: Windows/XP, Vista, 7, 8, 10 and above 	\$60 12.00
ORICO 2139US-CR		<ul style="list-style-type: none"> 1) ORICO 3.1" USB4 Hard drive external enclosure 2) Support 3.1" SATA HDD/SSD with maximum Transfer: 8 Gbps, 2TB 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Good heat dissipation, good cooling capacity 5) Built-in foam carbon particles, shockproof function. 6) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 7) Cable: 5.5m 8) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage 9) Support UASP 10) LED indicator: soft blue light <p>11PCC Insurance + 30000USD global insurance</p>	\$60 12.00
ORICO 2139C-CR		<ul style="list-style-type: none"> 1) ORICO 3.1" USB4 Hard drive external enclosure 2) Support 3.1" SATA HDD/SSD with maximum Transfer: 8 Gbps, 2TB 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Good heat dissipation, good cooling capacity 5) Built-in foam carbon particles, shockproof function. 6) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 7) Cable: 5.5m 8) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage 9) Support UASP 10) LED indicator: soft blue light <p>11PCC Insurance + 30000USD global insurance</p>	\$60 13.00
ORICO 2128U3		<ul style="list-style-type: none"> 1) ORICO 3.5 inch USB 3.0 A to SATA II Hard Drive Enclosure 2) Compatible With: 2.5 inch SATA HDD / SSD 3) Output Interface: USB 3.0 Micro B 4) Material: Aluminum Alloy 5) Dimension: 128 x 48 x 16mm 6) Installation: Tool Free 7) Capacity: 8TB 8) Supported System: Windows 2000 / XP / 7 / 8 / 10, Linux, Mac OS 9.1 or above 9) HDD: Support 8TB 	\$60 16.00
ORICO 25B8US-BK		<ul style="list-style-type: none"> 1) ORICO 3.1" USB4 Hard drive external enclosure 2) Support 3.1" SATA HDD/SSD with maximum Transfer: 8 Gbps, 2TB 3) USB 4 interface, maximum transfer rate up to 5Gbps 4) Good heat dissipation, good cooling capacity 5) Built-in foam carbon particles, shockproof function. 6) Good compatibility: Windows 10/8.1/7 / Vista / XP or Mac OS 9.1 and above 7) Cable: 5.5m 8) Protection features: Overcurrent, overvoltage, short circuit, overheating, leakage 9) Support UASP 10) LED indicator: soft blue light <p>11PCC Insurance + 30000USD global insurance</p>	\$60 25.90
ORICO 3199U3		<ul style="list-style-type: none"> 1) 3.5 inch USB 3.0 A to SATA II Hard Drive Enclosure With Stand 2) Color: Transparent 3) Supported Specification: 3.5 inch SATA HDD 4) Output Interface: USB 3.0 Micro B 5) Installation: Tool Free, Slip Cover 6) Capacity: 8TB 7) Indicator Light: Blue when Power On, Blue and Red Light Flicker When RW Data 8) Supported System: Windows 2000/XP/VISTA/MAC 9.1 and above/Linux 9) Dimension: 128*127*50 	\$60 28.00
ORICO 3199U3		<ul style="list-style-type: none"> 1) Material: High Intensity PC Material 2) Color: Transparent 3) Supported Specification: 3.5 inch SATA HDD 4) Output Interface: USB 3.0 Micro B 5) Installation: Tool Free, Slip Cover 6) Capacity: 8TB 7) Indicator Light: Blue when Power On, Blue and Red Light Flicker When RW Data 8) Supported System: Windows 2000/XP/VISTA/MAC 9.1 and above/Linux 9) Dimension: 128*127*50 	\$60 25.90
ORICO 3199C		<ul style="list-style-type: none"> 1) Material: High Intensity PC Material 2) Color: Transparent 3) Supported Specification: 3.5 inch SATA HDD 4) Output Interface: USB 3.0 Micro B 5) Installation: Tool Free, Slip Cover 6) Capacity: 8TB 7) Indicator Light: Blue when Power On, Blue and Red Light Flicker When RW Data 8) Supported System: Windows 2000/XP/VISTA/MAC 9.1 and above/Linux 9) Dimension: 128*127*50 	\$60 29.00
ORICO 3528-US		<ul style="list-style-type: none"> 1) Item: ORICO 3.1" HDD enclosure bodies 2) Material: Aluminum Alloy 3) Color: Type: Silver 4) Interface: USB 3.0 A to Micro B (type port) (SATA) + SATA II 5) Cable: 5.5m 6) Support capacity: 8TB 7) Support System for windows 2000 / XP / 7/8/10/ MAC 9.1 and above/ Linux <p>12PCC Insurance + 30000USD global insurance</p>	\$60 28.00
ORICO 7588US-PRO		<ul style="list-style-type: none"> 1) Material: Zinc Alloy + ABS 2) Output Interface: USB 3.1 Type-C SATA III 3) Color: Black 4) Capacity: 8TB 5) Supported HDD: 3.5 inch SATA HDD 6) Installation: Tool Free, Stand 7) Indicator Light: Blue when Power On, Blue and Red Light Flicker When RW Data 8) Supported System: Windows 2000/XP/VISTA/MAC 9.1 and above/Linux 	\$60 26.00
ORICO 3529US-BK-6P		<ul style="list-style-type: none"> 1) Material: Aluminum Alloy 2) Color: Black/Blue 3) Output Port: USB 3.1 Type-B 4) Color: Black/Blue 5) Transfer Rate: 5Gbps 6) Dimension: 216mm(L)*125mm(W)*16mm(H) 7) Compatible with Type: 2.5 and 3.5 inch SATA HDD / SSD 8) Capacity: Single drive: 8TB, supports 4TB Max 9) Installation: Removable tray, screwing 10) Supported System: Windows / Mac / Linux 	\$60 135.00
ORICO 3528US-BK-6P		<ul style="list-style-type: none"> 1) Material: Aluminum Alloy 2) Color: Black/Blue 3) Output Port: USB 3.1 Type-B 4) Color: Black/Blue 5) Transfer Rate: 5Gbps 6) Dimension: 216mm(L)*125mm(W)*16mm(H) 7) Compatible with Type: 2.5 and 3.5 inch SATA HDD / SSD 8) Capacity: Single drive: 8TB, supports 4TB Max 9) Installation: Removable tray, screwing 10) Supported System: Windows / Mac / Linux 	\$60 140.00
ORICO 3529US-BK-6P		<ul style="list-style-type: none"> 1) Material: Aluminum Alloy 2) Color: Black/Blue 3) Output Port: USB 3.1 Type-B 4) Color: Black/Blue 5) Transfer Rate: 5Gbps 6) Dimension: 216mm(L)*125mm(W)*16mm(H) 7) Compatible with Type: 2.5 and 3.5 inch SATA HDD / SSD 8) Capacity: Single drive: 8TB, supports 4TB Max 9) Installation: Removable tray, screwing 10) Supported System: Windows / Mac / Linux 	\$60 218.00

ORICO 3588U3-BK-SP		<ul style="list-style-type: none"> 1 External Hard Drive Enclosure with Red 1 Material: Aluminum Alloy 2 Color: Black/White 3 Output Interface: USB3.0 Type-B 4 Control Scheme: JMS578+MB358 5 Transfer Rate: 5Gbps 6 Dimension: 24.8(B) x 11.5(D) x 11.5(H)mm * 16.6mm 7 Compatible Disk Type: 2.5 inch SATA/ATA/HD/SSD 8 Supported RAID Modes: RAID 0, 1, 5, 10, JBOD, CDM, Normal 9 Capacity: Single-disk SATA supports 4TB Max 10 Hot-Swap: Removable tray, Hot-swap 11 Supported Systems: Windows / Mac / Linux 	\$50 259.00
ORICO 9528U3		<ul style="list-style-type: none"> 1 3.5-inch Multi-Bay Hard Drive Enclosure 1 Material: Aluminum Alloy 2 Color: Black/White 3 Output Interface: USB3.0 Type-B 4 Control Scheme: JMS578+J5358 5 Transfer Rate: 5Gbps 6 Dimension: 235.5(B) x 145.5(D) x 45.5(H)mm 7 Supported Capacity: 20TB Max 8 Installation: Push-pull installation 9 Supported Systems: Windows / Mac / Linux 	\$50 109.00
ORICO 9528U3		<ul style="list-style-type: none"> 1 3.5-inch External Hard Drive Enclosure with RAID 1 Material: Aluminum Alloy 2 Color: Black/White 3 Output Interface: USB3.0 Type-B 4 Control Scheme: JMS578+J5358 5 Transfer Rate: 5Gbps 6 Dimension: 235.5(B) x 145.5(D) x 45.5(H)mm 7 Supported Capacity: 20TB Max 8 Installation: Push-pull installation 9 Supported Systems: Windows / Mac / Linux 	\$50 119.00
ORICO 9528U3		<ul style="list-style-type: none"> 1 3.5-inch External Hard Drive Enclosure 1 Material: Aluminum Alloy 2 Color: Black/White 3 Output Interface: USB3.0 Type-B 4 Control Scheme: JMS578+J5358 5 Transfer Rate: 5Gbps 6 Dimension: 235.5(B) x 145.5(D) x 45.5(H)mm 7 Supported Capacity: 20TB Max 8 Installation: Push-pull installation 9 Supported Systems: Windows / Mac / Linux 	\$50 159.00
ORICO 9528U3		<ul style="list-style-type: none"> 1 3.5-inch External Hard Drive Enclosure with RAID 1 Material: Aluminum Alloy 2 Color: Black/White 3 Output Interface: USB3.0 Type-B 4 Control Scheme: JMS578+J5358 5 Transfer Rate: 5Gbps 6 Dimension: 235.5(B) x 145.5(D) x 45.5(H)mm 7 Supported Capacity: 20TB Max 8 Installation: Push-pull installation 9 Supported Systems: Windows / Mac / Linux 	\$50 219.00
ORICO D3200U3-BK		<ul style="list-style-type: none"> 1 Material: Zinc Alloy + ABS 2 Output Interface: USB3.0 Type-B, SATA III 3 Color: Black 4 Supported HDD: 3.5 inch SATA HDD x 2 5 Installation: Screw Fixation 6 Indicator Light: Blue when it's Powered, Blue and Red Light Flicker when it Reads and Writes Data 7 Supported System: Windows/Mac/Linux 	\$50 79.00
ORICO D3200U3-BK		<ul style="list-style-type: none"> 1 Material: Zinc Alloy + ABS 2 Output Interface: USB3.0 Type-C, SATA III 3 Color: Black 4 Supported HDD: 3.5 inch SATA HDD x 2 5 Installation: Screw Fixation 6 Indicator Light: Blue when it's Powered, Blue and Red Light Flicker when it Reads and Writes Data 7 Supported System: Windows/Mac/Linux 	\$50 109.00
ORICO D5200U3-BK		<ul style="list-style-type: none"> 1 ORICO 5 Bay Type-C Hard Drive Enclosure with Red 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 20TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.1 Type-C 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 189.00
ORICO D5200U3-BK		<ul style="list-style-type: none"> 1 ORICO 5 Bay Type-C Hard Drive Enclosure with Red 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 20TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.1 Type-C 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 179.00
ORICO N3200U3-BK-PRO		<ul style="list-style-type: none"> 1 ORICO 2 Bay Type-C Hard Drive Deck 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 20TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.1 Type-C 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 91.00
ORICO N3200U3-BK-PRO		<ul style="list-style-type: none"> 1 Material: Aluminum Alloy + ABS 2 Supported Capacity: 20TB, 10TB Single Disk 3 Port: USB3.1 Type-C 4 Serial: SATA-LASAP 5 Power Supply: 12V1.5A 6 Indicator: Blue LED Indicator 	\$50 139.00
ORICO N3200U3-BK-PRO		<ul style="list-style-type: none"> 1 ORICO 2 Bay Type-C Hard Drive Enclosure with Red 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 20TB, 10TB Single Disk 4 Port: USB3.1 Type-C 5 Serial: SATA-LASAP 6 Power Supply: 12V1.5A 7 Indicator: Blue LED Indicator 	\$50 159.00
ORICO N5400U3-BK-PRO		<ul style="list-style-type: none"> 1 ORICO 4 Bay USB3.0 Hard Drive Deck 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 40TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.0 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 189.00
ORICO N5800U3-BK-PRO		<ul style="list-style-type: none"> 1 Material: Aluminum Alloy + ABS 2 Supported Capacity: 40TB, 10TB Single Disk 3 Port: USB3.0 4 Serial: SATA-LASAP 5 Power Supply: 12V1.5A 6 Indicator: Blue LED Indicator 	\$50 249.00
ORICO N5800U3-BK-PRO		<ul style="list-style-type: none"> 1 ORICO 4 Bay Type-C Hard Drive Enclosure with Red 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 40TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.1 Type-C 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 279.00
ORICO N5200U3-BK-PRO		<ul style="list-style-type: none"> 1 ORICO 5 Bay USB3.0 Hard Drive Deck 2 Material: Aluminum Alloy + ABS 3 Supported Capacity: 20TB, 10TB Single Disk 4 Dimension: 151 x 224 x 126mm 5 Port: USB3.0 6 Serial: SATA-LASAP 7 Power Supply: 12V1.5A 8 Indicator: Blue LED Indicator 	\$50 219.00
ORICO N5800U3-BK-PRO		<ul style="list-style-type: none"> 1 Material: Aluminum Alloy + ABS 2 Supported Capacity: 20TB, 10TB Single Disk 3 Dimension: 151 x 224 x 126mm 4 Port: USB3.0 5 Serial: SATA-LASAP 6 Power Supply: 12V1.5A 7 Indicator: Blue LED Indicator 	\$50 309.00

ORICO W330U3-BK-FHD		<ul style="list-style-type: none"> 1) ORICO 3 Bay 3.5 Inch USB 3.0 Hard Drive Dock 2) Material: Aluminum Alloy + ABS 3) Supported Capacity: 8TB each bay 4) Supported System: Windows/Mac/Linux 5) Front: USB 3.0 6) Speed: 5Gbps UASP 7) Power Supply: 24V 5A 8) Indicator: Blue LED Indicator 	SGD 139.00
ORICO W330U3-BK-FHD		<ul style="list-style-type: none"> 1) ORICO 3 Bay 3.5 Inch USB 3.0 Hard Drive Dock 2) Material: Aluminum Alloy + ABS 3) Supported Capacity: 8TB each bay 4) Supported System: Windows/Mac/Linux 5) Front: USB 3.0 Type-C 6) Speed: 5Gbps UASP 7) Power Supply: 24V 5A 8) Indicator: Blue LED Indicator 	SGD 139.00
ORICO W330U3-SV		Dual Bay 3.5" HD Enclosure, USB 3.0, Support 10TB Single Disk, Total 20TB	SGD 89.00
ORICO W330U3-SV		Dual Bay 3.5" HD Enclosure, USB Type-C, Support 10TB Single Disk, Total 20TB	SGD 105.00
ORICO W330U3-SV		Dual Bay 3.5" HD Enclosure, USB 3.0 with RAID, Support 10TB Single Disk, Total 20TB, Supports up to 300Gbps under RAID Mode	SGD 119.00
ORICO W330U3-SV		Dual Bay 3.5" HD Enclosure, USB Type-C with RAID, Support 10TB Single Disk, Total 20TB Mode	SGD 119.00 10Gbps, Up to 300Gbps under RAID Mode
ORICO W340U3-SV		4-Bay 3.5" HD Enclosure, USB 3.0, Support 10TB Single Disk, Total 40TB	SGD 189.00
ORICO W340U3-SV		4-Bay 3.5" HD Enclosure, Type-C, Support 10TB Single Disk, Total 40TB	SGD 209.00

ORICO W540RUS-IV		4 Bay 3.5" HD Enclosure, USB 3.0 with RAID, Support 10T Single Disk, Total 40TB	500ps, Up to 1000ps under RAID Mode	\$CD 239.00
ORICO W540RCS-IV		4 Bay 3.5" HD Enclosure, USB Type C with RAID, Support 10T Single Disk, Total 40TB	500ps, Up to 1000ps under RAID Mode	\$CD 269.00
ORICO W550RUS-IV		4 Bay 3.5" HD Enclosure, USB 3.0, Support 10T Single Disk, Total 50TB		\$CD 219.00
ORICO W550RCS-IV		4 Bay 3.5" HD Enclosure, USB Type C, Support 10T Single Disk, Total 50TB		\$CD 239.00
ORICO W550RUS-IV		4 Bay 3.5" HD Enclosure, USB 3.0 with RAID, Support 10T Single Disk, Total 50TB	500ps, Up to 1000ps under RAID Mode	\$CD 269.00
ORICO W550RCS-IV		4 Bay 3.5" HD Enclosure, USB 3.0 with RAID, Support 10T Single Disk, Total 50TB	500ps, Up to 1000ps under RAID Mode	\$CD 299.00
ORICO 613803-V1		1)ORICO Lay Flat Docking, Compatible HDD Type:2.5 & 3.5 inch HDD / SSD 2)Output Interface: SATA/SATA II/USB 2.7 Transfer Rates Up to 5 Gbps 3)HDD Interface: SATA, USB 4)Power Supply 5)Data Cable: 3.5m / 1M USB 3.0 Cable 6)HDD Plastic material with no heating 7)Compatible with USB 3.0 type B transmitters, 8)Supported Operating Systems: Win 7 / Vista / XP or Mac OS 9.1 and above 9)Support: 24/7 10)Support capacity: 8TB 11)PCC Insurance > 300000 USD global insurance		\$CD 26.90
ORICO 623803-C-B		1)ORICO 2.5" & 3.5" SATA HDD-Docking Station with USB 3.0 output. 2)Interface: USB 3.0 & SATA 3.0, 500ps 3)Support 2.5"/3.5" SATA HDD/SSD with thickness: 7mm - 12.5mm, 9.5" Max. 4)ABS material 5)Tool-free design, plug and play. 6)SATA 3.0 & 6 Gbps transmitters, SATA3 supported 7)With 5V 2.5V power adapter 8)Cable: 180cm		\$CD 41.90
NEW ORICO 6239C1-C-W		1)Material: PC Material 2)Color:White and Transparent 3)Support HardDrives: 2.5/3.5 inch HDD and SSD 4)Output Interface:Type-C 5)Dimension: 141*111*36mm 6)Power Supply: 5V 2.5A 7)Indicator Light:Blue When Power On, Blue and Red Light Flicker When Reading and Writing 8)Supported System: Windows/Mac/Linux 9)Accessories: 5m USB 3.0 to A Data Cable, 12V/1A DC Power Adapter		\$CD 44.90
ORICO 6139U2		1)Material: PC Material 2)Color: Transparent 3)Support HardDrives: 2.5/3.5 inch HDD and SSD 4)Output Interface: USB 3.0 Type-B 5)Dimension: 141mm*111mm*36mm 6)Power Supply: 5V 7)Indicator Light: Blue When Power On, Blue and Red Light Flicker When Reading and Writing 8)Supported System: Windows/Mac/Linux		\$CD 26.90
ORICO 6139C1		1)Material: PC Material 2)Color: Transparent 3)Support HardDrives: 2.5/3.5 inch HDD and SSD 4)Output Interface: USB 3.0 Type-C 5)Dimension: 141mm*111mm*36mm 6)Power Supply: 5V 7)Indicator Light: Blue When Power On, Blue and Red Light Flicker When Reading and Writing 8)Supported System: Windows/Mac/Linux		\$CD 26.90

NEW ORICO 6528U3-C- PDC		<ul style="list-style-type: none"> 1)ORICO 3.5" SATA HDD Duplicator 2)External High-Speed SATA-to-USB Interface 3)Color Black 4)Data Cable: USB Type-A to USB Type-B, 5M 5)Dimension: 220mm*77.5mm*40mm 6)Material: ABS+Aluminum 7)Supported Capacity: Single disk 10TB, Max. 10TB 8)Power Supply: 5VDC 5A external power supply. 	SDC 43.90
NEW ORICO 6528U3-C- PDC		<ul style="list-style-type: none"> 1)ORICO 3.5" SATA HDD Duplicator 2)External High-Speed SATA-to-USB Interface 3)Color Black 4)Data Cable: USB Type-A to USB Type-B, 5M 5)Dimension: 220mm*77.5mm*40mm 6)Material: ABS+Aluminum 7)Supported Capacity: Single disk 10TB, Max. 10TB 8)Power Supply: 5VDC 5A external power supply. 	SDC 135.00
ORICO 6629U3-BE- PDC		<ul style="list-style-type: none"> 1) 3.5 Bay 2.5"/3.5" SATA III HDD Docking Station 2) Latest Chipset with Best Performance and Compatibility 3) High Quality Internal HDD Selection with Excellent Workmanship 4) Supports 3.5" HDD Capacity up to 8TB, 2.5" HDD Capacity up to 8TB 5) Supports SuperSpeed USB 3.1 / 1.1 / FireWire / SATA / Mac OS 9.1 and above 6) Compatible HDD Type: 3.5 & 2.5 inch HDD / SSD 7) Compatible with IDE/ SATA / FireWire 8) Power Supply: SATA Power Adapter 9) HDD Interface: SATA III 10) Data Cable: 3.9F / 1M USB 3.0 Cable 11) Support: Win7 	SDC 24.90
ORICO 6629U3-C-V1- BE		<ul style="list-style-type: none"> 1) 3 Bay 2.5"/3.5" HDD Docking Station, compatible HDD Type: 3.5 & 2.5 inch HDD / SSD 2) Support: SATA III / IDE 3) Supports Hot Plug/Plug and Play 4) Support: HDD up to 8TB Capacity 5) Interface: SATA III / SATA II / SATA I 6) ABS material, Excellent workmanship 7) Led indicator 8) Power Supply: SATA Power Adapter 9) Data Cable: 3.9F / 1M USB 3.0 Cable 10) Supported System: Windows 10 / 8 / 7 / Vista / XP or Mac OS 9.1 and above 11) Size: 150 x 105 x 45mm 	SDC 42.90
ORICO 6648U3-C-V1- BE		<ul style="list-style-type: none"> 1) 3 Bay 2.5"/3.5" HDD Docking Station, Compatible HDD Type: 3.5 & 2.5 inch HDD / SSD 2) Support: SATA III / IDE, with Hub (drive function) 3) Support: Hot Plug/Plug and Play 4) Support: HDD up to 8TB Capacity 5) Interface: SATA III / SATA II / SATA I 6) ABS material, Excellent workmanship, LED indicator 7) Led indicator 8) Power Supply: SATA Power Adapter 9) Data Cable: 3.9F / 1M USB 3.0 Cable 	SDC 129.00
ORICO 6812		<ul style="list-style-type: none"> 1) ORICO PC-to-M.2 SSD Hot-Cold 2) Material: Aluminum 3) Model: M2-1, M2-2, M2-3 4) SSD Supported: SATA, NVMe 5) Interface: PCI-E 6) Maximum PCI-E Ports: PCI-E 4*4, PCI-E 4*2, PCI-E 4*1 7) Speed: up to 10GB/s 	SDC 99.00
ORICO 11860-V1-BE		<ul style="list-style-type: none"> 1) 3.5" internal HDD mobile dock 2) Product material: Metal & plastic 3) Output interface: SATA, FireWire, USB 4) HDD support: 3.5" SATA, HDD 5) Plug and play 6) Support: Windows 10 / 8 / 7 / Vista / XP or Mac OS 9.1 and above 7) LED with indicating working status 	SDC 21.90
ORICO 11255-BE		<ul style="list-style-type: none"> 1) 2.5 inch to 3.5 inch SATA hard disk converter box 2) Material: ABS 3) Support: 3.5" SATA 2.5" HDD/SSD 4) Model: H2 5) Size: 147*101*50.5mm 6) Mount position: External storage, chassis 3.5-inch HDD (suit for external and internal) 7) Hot Swap 	SDC 12.90
ORICO 11375-V1-SV		<ul style="list-style-type: none"> 1) Input: SATA III, 6 Gbps 2) Output: FireWire 800, SATA, CD-ROM drive of Laptop 3) Chassis: Aluminum 4) Hard Drive Supported: 2.5 inch 7.5 & 1.5 2.5mm SATA III HDD / SSD 5) Laptop Supported: Lenovo, Asus, Dell, HP, Acer and other laptops with 12.7mm CD-ROM optical bay 	SDC 18.90
ORICO 15555-V1-SV		<ul style="list-style-type: none"> 1) Input: SATA III, 6 Gbps 2) Output: FireWire 800, SATA, CD-ROM drive of Laptop 3) Chassis: Aluminum 4) Hard Drive Supported: 2.5 inch 7.5 & 1.5 2.5mm SATA III HDD / SSD 5) Laptop Supported: Lenovo, Asus, Dell, HP, Acer and other laptops with 9.5mm CD-ROM optical bay 	SDC 18.90
ORICO HB-325-BE		<ul style="list-style-type: none"> 1) Compatible HDD: 3.5 inch HDD / HDD 2) Compatible interface: SATA / IDE 3) Dimension: 154 x 98 x 33mm 4) Installation Slot: 3.5 inch Hard Drive Bay 	SDC 5.90
ORICO AC325-15-SV		<ul style="list-style-type: none"> 1) Compatible HDD: 3.5 inch HDD / HDD 2) Chassis: Aluminum Alloy 3) Dimension: 154 x 98 x 33mm 4) Weight: 0.29kg 	SDC 6.90
ORICO AC325-15- V1-SV		<ul style="list-style-type: none"> 1) Compatible HDD Type: 3.5 & 2.5 inch HDD / HDD 2) Chassis: Aluminum Alloy 3) Dimension: 144 x 98 x 33mm 4) Weight: 0.29kg 	SDC 8.90